Wenschuh, H., see Dathe, M. (1370) 175

Xiang, T.-X. and Anderson, B.D.
Phase structures of binary lipid bilayers as revealed by permeability of small molecules (1370) 64

Yamazaki, A., see Grenier, S. (1370) 199
Yonemura, K., see Iseki, K. (1370) 161
Yoshida, S., see Miyazaki, M. (1370) 235

Zempel, G., see Drews, G. (1370) 8
Zhang, Q.Z., see Miyazaki, M. (1370) 235
Zhou, Z., see Selinsky, B.S. (1370) 218

ELSEVIER

Biomembranes

Vol. 1370, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Cumulative Contents

Information for Contributors *vii*

Rapid report

Protein–water–ion interactions in a model of the pore domain of a potassium channel: a simulation study
K.M. Ranatunga, I.D. Kerr, C. Adcock, G.R. Smith and M.S.P. Sansom (UK) 1

Regular papers

Ion channels involved in insulin release are activated by osmotic swelling of pancreatic B-cells
G. Drews, G. Zempel, P. Krippeit-Drews, S. Britsch, G.L. Busch, N.K. Kaba and F. Lang (FRG) 8

Probing DNA–cationic lipid interactions with the fluorophore trimethylammonium diphenylhexatriene (TMADPH)
D. Hirsch-Lerner and Y. Barenholz (Israel) 17

Comparison of the interaction of doxorubicin, daunorubicin, idarubicin and idarubicinol with large unilamellar vesicles. Circular dichroism study
L. Gallois, M. Fiallo and A. Garnier-Suillerot (France) 31

Relative magnitudes of the rate constants associated with monensin-mediated H^+, Na^+ and K^+ translocations across phospholipid vesicular membranes
B.S. Prabhananda and M.H. Kombrabail (India) 41

Characterization of Mg^{2+} transport in brush border membrane vesicles of rabbit ileum studied with mag-fura-2
R. Jüttner and H. Ebel (Germany) 51

Phase structures of binary lipid bilayers as revealed by permeability of small molecules
T.-X. Xiang and B.D. Anderson (USA) 64

Topological study of *Vibrio alginolyticus* NhaB Na^+/H^+ antiporter using gene fusions in *Escherichia coli* cells
H. Enomoto, T. Unemoto, M. Nishibuchi, E. Padan and T. Nakamura (Japan, Israel) 77

Interactions of arbutin with dry and hydrated bilayers
A.E. Oliver, D.K. Hincha, L.M. Crowe and J.H. Crowe (USA, Germany) 87

The substrate recognition domain in the Na^+/dicarboxylate and Na^+/sulfate cotransporters is located in the carboxy-terminal portion of the protein
A.M. Pajor, N. Sun, L. Bai, D. Markovich and P. Sule (USA, Australia) 98

Bromothymol blue as a probe for structural changes of model membranes induced by hemoglobin
G.P. Gorbenko (Ukraine) 107

Fe^{2+}-induced inhibition of gerbil forebrain microsomal Ca^{2+}-ATPase: Effect of stobadine, glutathione and combination of both antioxidants
P. Račay, A.W.A. Qteishat, H.M. ElKambergy, V. Mézešová and J. Lehotský (Slovak Republic) 119

Surface behavior of myelin monolayers
R.G. Oliveira, R.O. Calderón and B. Maggio (Argentina) 127

Method of purification affects some interfacial properties of pulmonary surfactant proteins B and C and their mixtures with dipalmitoylphosphatidylcholine
S.G. Taneva, J. Stewart, L. Taylor and K.M.W. Keough (Canada) 138

Morphological observations on liposomes bearing covalently bound protein: Studies with freeze-fracture and cryo electron microscopy and small angle X-ray scattering techniques
N. Škalko, J. Bouwstra, F. Spies, M. Stuart, P.M. Frederik and G. Gregoriadis (UK, The Netherlands) 151

Purification by ceftibuten-affinity chromatography and the functional reconstitution of oligopeptide transporter(s) in rat intestinal brush-border membrane
K. Iseki, K. Yonemura, T. Kikuchi, I. Naasani, M. Sugawara, M. Kobayashi, N. Kohri and K. Miyazaki (Japan) 161

Cu^{2+} reveals different binding sites of amiloride and CDPC on the apical Na channel of frog skin
M.L. Flonta, J. De Beir-Simaels, D. Mesotten and W. Van Driessche (Belgium, Romania) 169

Proline at position 14 of alamethicin is essential for hemolytic activity, catecholamine secretion from chromaffin cells and enhanced metabolic activity in endothelial cells
M. Dathe, C. Kaduk, E. Tachikawa, M.F. Melzig, H. Wenschuh and M. Bienert (Germany, Japan) 175

Erratum

Erratum to "A biotinylated perfringolysin O derivative: a new probe for detection of cell surface cholesterol". [Biochim. Biophys. Acta 1327 (1997) 222–230]
M. Iwamoto, I. Morita, M. Fukuda, S.-i. Murota, S. Ando and Y. Ohno-Iwashita (Japan) 184

Information for Contributors *vii*

Short sequence-paper

ERD6, a cDNA clone for an early dehydration-induced gene of *Arabidopsis*, encodes a putative sugar transporter
T. Kiyosue, H. Abe, K. Yamaguchi-Shinozaki and K. Shinozaki (Japan) 187

Regular papers

Transport mechanisms of a glycoside, *p*-nitrophenyl-β-D-glucopyranoside, across rat small intestinal brush-border membranes
T. Ohnishi, S. Higashi, T. Mizuma and S. Awazu (Japan) 192

Determination of the depth of penetration of the α subunit of retinal G protein in membranes: A spectroscopic study
S. Grenier, P. Desmeules, A.K. Dutta, A. Yamazaki and C. Salesse (Canada, USA) 199

Role of cholesterol in the modulation of interdigitation in phosphatidylethanols
O.P. Bondar and E.S. Rowe (USA) 207

The aminosterol antibiotic squalamine permeabilizes large unilamellar phospholipid vesicles
B.S. Selinsky, Z. Zhou, K.G. Fojtik, S.R. Jones, N.R. Dollahon and A.E. Shinnar (USA) 218

Quantification of concanavalin A binding to rat brain microsomal membranes detected by fluorescence polarization technique
M. Miyazaki, S. Yoshida, K. Sakai, Q.Z. Zhang and M. Takeshita (Japan) 235

The development of IL-2 conjugated liposomes for therapeutic purposes
P.J. Konigsberg, R. Godtel, T. Kissel and L.L. Richer (USA) 243

Mechanism of the inhibitory effect of imipramine on the Na^+-dependent transport of L-glutamic acid in rat intestinal brush-border membrane
M. Sugawara, M. Kato, M. Kobayashi, K. Iseki and K. Miyazaki (Japan) 252

Lymphatic uptake and biodistribution of liposomes after subcutaneous injection. IV. Fate of liposomes in regional lymph nodes
C. Oussoren, M. Velinova, G. Scherphof, J.J. Van der Want, N. Van Rooijen and G. Storm (Netherlands) 259

Palmitic acid is associated with halorhodopsin as a free fatty acid. Radiolabeling of halorhodopsin with ^{3}H-palmitic acid and chemical analysis of the reaction products of purified halorhodopsin with thiols and $NaBH_4$
M. Colella, S. Lobasso, F. Babudri and A. Corcelli (Italy) 273

Self-assembled α-hemolysin pores in an S-layer-supported lipid bilayer
B. Schuster, D. Pum, O. Braha, H. Bayley and U.B. Sleytr (Austria, USA) 280

Successful recovery of the normal electrophysiological properties of PorB (Class 3) porin from *Neisseria meningitidis* after expression in *Escherichia coli* and renaturation
J. Song, C.A.S.A. Minetti, M.S. Blake and M. Colombini (USA) 289

Where does cholesterol act during activation of the nicotinic acetylcholine receptor?
G.H. Addona, H. Sandermann Jr, M.A. Kloczewiak, S.S. Husain and K.W. Miller (USA, Germany) 299

In vivo activation of yeast plasma membrane H^+-ATPase by ethanol: effect on the kinetic parameters and involvement of the carboxyl-terminus regulatory domain
G.A. Monteiro and I. Sá-Correia (Portugal) 310

Verapamil enhances the uptake and the photocytotoxic effect of PII, but not that of tetra(4-sulfonatophenyl)porphine
K. Berg, J.-C. Maziere, M. Geze and R. Santus (Norway, France) 317

Oligomerization of β-dystroglycan in rabbit diaphragm and brain as revealed by chemical cross-linking
D.M. Finn and K. Ohlendieck (Ireland) 325